Printing date 26.01.2023 Revision: 26.01.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MR® 311 R Penetrant red

Aerosol

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- · Product category PC14 Metal surface treatment products
- · Process category

PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC13 Treatment of articles by dipping and pouring

· Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

- · Article category AC7 Metal articles
- · Application of the substance / the mixture

Testing material for nondestructive surface crack detection

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

3AK Chemie Pvt. Ltd.

5/B5/1 - TSIIC Automotive Park, Kallakal, Telangana, INDIA

Dist: Medak Pin: 502336

Email: qc@3akchemie.com

### · Further information obtainable from:

3AK Chemie Pvt. Ltd., Safety Data Sheets, qc@3akchemie.com

#### 1.4 Emergency telephone number:

24h- Emergency Contact Phone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident

Call Day or Night within USA and Canada: 1 800 424 9300 Outside USA and Canada: 001 703 527 3887

In-Country Emergency Number for:

Germany: 0800-181-7059

 Australia:
 +61 433 289 052
 (English)

 Hong Kong:
 800 968 793
 (Cantonese)

 India:
 000 800 100 7141
 (Hindi)

 South Africa:
 0 800 983 611
 (English)

(WISAG FMO Cargo Service GmbH & CO.KG)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

**Aerosol** 

(Contd. of page 1)



Eye Irrit. 2 H319

Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compor	· Dangerous components:	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	25-50%
EINECS: 203-961-6	Eye Irrit. 2, H319	
CAS: 74-98-6	propane	10-25%
EINECS: 200-827-9	Flam. Gas 1, H220	
	Press. Gas C, H280	
CAS: 106-97-8	butane	10-25%
EINECS: 203-448-7	Flam. Gas 1, H220	
	Press. Gas C, H280	
CAS: 84961-40-0	Amine, C10-14 verzw. u. lineare Alkyl-Bis(2,4-dihydro-4-((2-hydroxy-	1-5%
EINECS: 284-628-2		
	chromat(1-)(1-)	
	Acute Tox. 4, H302	
•	(Contd	on nage 3)

(Contd. on page 3)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

Aerosol

		(Conto	d. of page 2)
	CAS: 102-71-6	2,2',2"-nitrilotriethanol	< 1.0%
	EINECS: 203-049-8	substance with a Community workplace exposure limit	
Ī	CAS: 111-76-2	2-butoxyethanol	< 1.0%
	EINECS: 203-905-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

· Propellant: Propane-Butane

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Not relevant aerosol can.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Information for doctor:

Grease with skin-cream to restore fat film in order to prevent skin inflammation.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

CO2, Löschpulver oder Wassersprühstrahl. Größeren Brand mit Wassersprühstrahl oder alkoholbeständigem Schaum bekämpfen.

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

**Aerosol** 

(Contd. of page 3)

# **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, e.g. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

112-34-5 2-(2-butox	yethoxy)ethanol
IOELV (EU)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm
WEL (Great Britain)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm
AGW (Germany)	Long-term value: 67 mg/m³, 10 ppm 1.5(I);EU, DFG, Y, 11
74-98-6 propane	
AGW (Germany)	Long-term value: 1800 mg/m³, 1000 ppm 4(II);DFG
106-97-8 butane	
WEL (Great Britain)	Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
AGW (Germany)	Long-term value: 2400 mg/m³, 1000 ppm 4(II);DFG
	C10-14 verzw. u. lineare Alkyl-Bis(2,4-dihydro-4-((2-hydroxy-enyl)azo)-5-methyl-2-phenyl-3H-pyrazol-3-onato(2-))chromat(1-)(1-)
WEL (Great Britain)	Long-term value: 0.05 mg/m³ as Cr; Carc, Sen
MAK (Germany)	einatembare Fraktion; vgl.Abschn.XIII
102-71-6 2,2',2"-nitr	ilotriethanol
MAK (Germany)	Long-term value: 5E mg/m <sup>3</sup>

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

**Aerosol** 

			(Contd. of page 4)
111-76-2 2	?-butoxye		
IOELV (EU	J)	Short-term value: 246 mg/m Long-term value: 98 mg/m³, Skin	
WEL (Grea	at Britain)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
AGW (Ger	many)	Long-term value: 49 mg/m³, 10 ppm 4(II);H, Y, AGS	
·DNELs		•	
112-34-5 2	2-(2-butox	yethoxy)ethanol	
Dermal	Long-tern	n - systemic effects, worker	20 mg/kg bw/day (worker)
Inhalative	Acute - lo	cal effects, worker	101.2 mg/m³ (worker)
	Long-tern	n - systemic effects, worker	67.5 mg/m³ (worker)
	Long-tern	n - local effects, worker	67.5 mg/m³ (worker)
102-71-6 2	2,2',2"-nitr	rilotriethanol	
Dermal	Long-tern	n - systemic effects, worker	6.3 mg/kg bw/day (worker)
Inhalative	Long-term	n - systemic effects, worker	5 mg/m³ (worker)
	Long-tern	n - local effects, worker	5 mg/m³ (worker)
PNECs			
	•	yethoxy)ethanol	
•	•	it, freshwater	1 mg/L (freshwater)
•	•	nt - marine water	0.1 mg/L (marine water)
		nt - water intermittent release	
		nt- sediment in freshwater	4 mg/kg sed dw (sediment fresh water)
•	•	nt sediment in marine water	0.4 mg/kg sed dw (sediment marine water)
Terrestrial			0.4 mg/kg dw (soil)
Oral secon		_	56 mg/kg food (food secundary poisoning)
		rilotriethanol	
•	•	nt, freshwater	0.32 mg/L (freshwater)
Aquatic compartment - marine water			0.032 mg/L (marine water)
· · · · · · · · · · · · · · · · · · ·			
	Aquatic compartment- sediment in freshwater 1.7 mg/kg sed dw (sediment fresh water)		
•	•	nt sediment in marine water	0.17 mg/kg sed dw (sediment marine water)
Terrestrial	•		0.151 mg/kg dw (soil)
Sewage tre	eatment p	lant	10 mg/L (sewage treatment plant)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Filter A2 - P 2 EN 141, 143, 371

For good ventilation provide, this can be achieved by local or space exhaust. If the concentration lies over the job limit values, then, a certified respirator suitable for this purpose must be used.

(Contd. on page 6)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

**Aerosol** 

(Contd. of page 5)

### · Protection of hands:

Check the permeability prior to each anewed use of the glove.

For the permanent contact in work areas with heightened risk of injury (mechanical hazard) no recommendation for a suitable glove material can be given.

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

Value for the permeation: Level ≤ 6 Supplier for suitable protection gloves: ASD ArbeitsSicherheit Dortmund

Torstr. 101 - 37355 Niederorschel OT Rüdigershagen

Tel.: 02301 / 919543 - Fax: 02301 / 9453893

E-Mail: m.schnellhardt@t-online.de - http://www.arbeitssicherheitdortmund.de

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

e_e p. eper e	
<ul> <li>9.1 Information on basic physical a</li> <li>General Information</li> <li>Appearance:</li> </ul>	and chemical properties
Form:	Aerosol
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Not applicable, as aerosol.
· Flash point:	-97 °C Basis: propellant
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not determined - aerosol.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
	(Contd. on page 7)

(Contd. on page 7)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

Aerosol

(Contd. of page 6) · Explosion limits: Lower: 0.9 Vol % Upper: 10.9 Vol % · Vapour pressure at 20 °C: 8300 hPa Basis: propellant · Density at 20 °C: 0.97 g/cm<sup>3</sup> Basis: active substance · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not applicable. · Solubility in / Miscibility with Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. Organic solvents: 95.6 % 97.2 % VOC (EU) · 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Danger of bursting of the aerosol can during overheating

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
112-34-5	112-34-5 2-(2-butoxyethoxy)ethanol		
Dermal	LD50	4000 mg/kg (rbt)	
106-97-8	106-97-8 butane		
Inhalative	LC50/4 h	658 mg/l (rat)	
102-71-6	102-71-6 2,2',2"-nitrilotriethanol		
Oral	LD50	8000 mg/kg (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 8)

\_\_\_\_ G

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

**Aerosol** 

(Contd. of page 7)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

After arrangement with the local water authority the product in aqueous dilution (washing water) can to be introduced into drains, as far as it was not continued to contaminate by the user.

Eliminate in accordance with local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

For this product no waste key number can be specified, because only the intended purpose permits an allocation. The waste key number is to be specified in arrangement with the regional waste disposal.

The indications for Waste key reflect the pure unmodified product and are only a recommendation.

·Eu	· European waste catalogue	
07	07 04*	other organic solvents, washing liquids and mother liquors
15	01 10*	packaging containing residues of or contaminated by dangerous substances

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA UN1950
- · 14.2 UN proper shipping name
- · ADR 1950 AEROSOLS

(Contd. on page 9)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

Aerosol

	(Contd. of page
IMDG IATA	AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	- 
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat
Segregation Code  14.7 Transport in bulk according to An	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capaci of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAST AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity 1 litre: Segregation as for class 9. Stow "separate from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation a for the appropriate subdivision of class 2.
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	41
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2 D
IMDG	
Limited quantities (LO)	1L
Limited quantities (LQ) Excepted quantities (EQ)	Code: E0

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

Aerosol

(Contd. of page 9)

UN "Model Regulation":

UN1950, AEROSOLS, 2.1

### **SECTION 15: Regulatory information**

# · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH international regime: REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45 / EC and repealing Regulation (EC) No 793/93 and Regulation (EC) No 1488/94 and Directive 76/769 / EEC and of the Commission 91/155 / EEC directives 93/67 / EEC , 93/105 / EC and 2000/21 / EC

- 2. CLP international regime: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives
- 67/548 / EEC and 1999/45 / EC and amending Regulation (EC) No. 1907/2006
- 3. REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 3.a REGULATION (EU) No 830/2015 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 4. Domestic regulations on hazardous substances: Act XXV / 2000 on chemical safety and its amendments

Amendments to Regulation No. 44/2000 (XII.27) EüM the Minister of Health on the detailed rules for certain procedures and activities, dangerous substances and dangerous preparations related to

- 5. House Regulation on waste: CLXXXV Act 2012 on waste Government Decree No 98/2001 (VI.15.) One of the conditions of the activities related to hazardous wastes and their changes 72/2013 (VIII. 27) VM Decree on Waste Catalogue
- 6. Domestic Regulation on Water Pollution: Government Decree No. 220/2004 (VII. 21) and its amendments
- 7. House Regulation on Safety and Health: Act XCIII of 1993 on occupational safety, its amendments and relevant Ministry of Labour and the Ministry of National Economy decrees
- 8. House regulation on chemical safety of workplaces: Joint Decree No. 25/2000 A. EüM-SzCsM and its amendments
- 9. Regulations on aerosol: NGM (Ministry of Economics) Decree No. 34/2014 on the requirements of the distribution of aerosol products and aerosol packaging
- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 28, 29, 55
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

The data in this safety data sheet are based on our knowledge at the time of the revision. The information should give you reference points for a safe handling of the product specified in this safety data sheet. The data are not transferable to other products. If the product specified in this safety data sheet is mixed or processed with other materials, the data cannot be transferred without examination.

#### Relevant phrases

The wording of the listed risk phrases are those of the individual raw materials. H220 Extremely flammable gas.

(Contd. on page 11)

Printing date 26.01.2023 Revision: 26.01.2023

Trade name: MR® 311 - R Penetrant red

Aerosol

(Contd. of page 10)

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

### Recommended restriction of use

Existing national and local laws concerning chemicals are to be considered.

- · Department issuing SDS: 3AK Chemie Pvt. Ltd.
- · Contact: 3AK Chemie Pvt. Ltd., Safety data sheets, Email: qc@3akchemie.com

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure – Compressed gas Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· \* Data compared to the previous version altered.