

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: MR® 699 F Penetrant fluorescent**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages**
  - F Formulation or re-packing
  - IS Use at industrial Sites
- **Sector of Use**
  - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
  - SU14 Manufacture of basic metals, including alloys
- **Product category** PC14 Metal surface treatment products
- **Process category**
  - PROC7 Industrial spraying
  - PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
  - PROC13 Treatment of articles by dipping and pouring
- **Environmental release category**
  - ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- **Article category** AC7 Metal articles
- **Application of the substance / the mixture**
  - Testing material for nondestructive surface crack detection
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
  - MR Chemie GmbH
  - Nordstr. 61-63
  - 59427 Unna (Germany)
  - Tel. +49 (0)2303 95151 0
  - Fax: +49 (0)2303 95151 10
  - post@mr-chemie.de
  - www.mr-chemie.de
- **Further information obtainable from:**
  - MR Chemie GmbH, Dep. safety data sheets, Tel.: +49/(0)2303/95151-38, QS@mr-chemie.de
- **1.4 Emergency telephone number:**
  - 24h- Emergency Contact Phone Number For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident (WISAG FMO Cargo Service GmbH & CO.KG)
  - Call Day or Night within USA and Canada: 1 800 424 9300
  - Outside USA and Canada: 001 703 527 3887
  - In-Country Emergency Number for:
  - Germany: 0800-181-7059
  - China: 4001 204937 (Mandarin)
  - Hong Kong: 800 968 793 (Cantonese)
  - India: 000 800 100 7141 (Hindi)
  - South Africa: 0 800 983 611 (English)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
  - The mixture is classified according to Regulation (EC) No 1272/2008 according to the most recent ATP.
  - Eye Irrit. 2            H319 Causes serious eye irritation.
  - Skin Sens. 1            H317 May cause an allergic skin reaction.
  - Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
  - The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

Trade name: MR® 699 F Penetrant fluorescent

(Contd. of page 1)

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labelling:**

Fatty acids, tall-oil, reaction products with ethanolamine, ethoxylated

- **Hazard statements**

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol ----- Eye Irrit. 2, H319	80 - 90%
EC number: 935-890-8	Alcohols, C10-12, ethoxylated propoxylated ----- Eye Irrit. 2, H319	≥ 5 - < 10%
CAS: 61791-19-3 EC number: 612-396-8 Reg.nr.: 01-2119980966-16-XXXX	Fatty acids, tall-oil, reaction products with ethanolamine, ethoxylated ----- Eye Irrit. 2, H319; Skin Sens. 1B, H317 Aquatic Chronic 3, H412	≥ 2.5 - < 5%
CAS: 19125-99-6 EINECS: 242-828-7 Reg.nr.: 01-2120115891-59-XXXX	2-butyl-6-(butylamino)-1H-benzo[de]isoquinoline-1,3(2H)-dione ----- Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥ 0.025 - < 0.25%

- **Additional information:**

Wording of the listed hazard phrases are indicated in section 16 and relate to individual raw components.

GB

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

**Trade name: MR® 699 F Penetrant fluorescent**

(Contd. of page 2)

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Seek medical advice if symptoms occurs or in cases of doubt.  
Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **Information for doctor:**  
Grease with skin-cream to restore fat film in order to prevent skin inflammation.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

**Trade name: MR® 699 F Penetrant fluorescent**

(Contd. of page 3)

- Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Condition of the tanks and stockrooms is to be co-ordinated with the responsible authorities.  
Keep receptacles tightly sealed.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Recommended storage temperature:** 5 - 45°C, 41 - 113 °F
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

#### 112-34-5 2-(2-butoxyethoxy)ethanol

IOELV (EU)	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm
WEL (Great Britain)	Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm
AGW (Germany)	Long-term value: 67 mg/m <sup>3</sup> , 10 ppm 1.5(l);EU, DFG, Y, 11

#### 102-71-6 2,2',2''-nitrilotriethanol

MAK (Germany)	Long-term value: 5E mg/m <sup>3</sup>
---------------	---------------------------------------

#### 112-80-1 Ölsäure

MAK (Germany)	vgl.Abschn. IIb und Xc
---------------	------------------------

- **DNELs**

#### 112-34-5 2-(2-butoxyethoxy)ethanol

Dermal	Long-term - systemic effects, worker	83 mg/kg bw/day (worker)
Inhalative	Acute - local effects, worker	101.2 mg/m <sup>3</sup> (worker)
	Long-term - systemic effects, worker	67.5 mg/m <sup>3</sup> (worker)
	Long-term - local effects, worker	67.5 mg/m <sup>3</sup> (worker)

#### 61791-19-3 Fatty acids, tall-oil, reaction products with ethanolamine, ethoxylated

Dermal	Long-term - systemic effects, worker	4.16 mg/kg bw/day (worker)
	Long-term - local effects, worker	0.031 mg/cm <sup>3</sup> (worker)
Inhalative	Long-term - systemic effects, worker	98 mg/m <sup>3</sup> (worker)

#### 102-71-6 2,2',2''-nitrilotriethanol

Dermal	Long-term - systemic effects, worker	6.3 mg/kg bw/day (worker)
Inhalative	Long-term - systemic effects, worker	5 mg/m <sup>3</sup> (worker)
	Long-term - local effects, worker	5 mg/m <sup>3</sup> (worker)

#### 19125-99-6 2-butyl-6-(butylamino)-1H-benzo[de]isoquinoline-1,3(2H)-dione

Dermal	Long-term - systemic effects, worker	4.64 mg/kg bw/day (worker)
Inhalative	Long-term - systemic effects, worker	16.3 mg/m <sup>3</sup> (worker)

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

Trade name: MR® 699 F Penetrant fluorescent

(Contd. of page 4)

· DNEL (Derived No Effect Level) for the general population		
<b>112-34-5 2-(2-butoxyethoxy)ethanol</b>		
Oral	Long term - systemic effects, general population	5 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population	50 mg/kg bw/day (general population)
Inhalative	Acute- local effects, general population	60.7 mg/m <sup>3</sup> (general population)
	Long term - systemic effects, general population	40.5 mg/m <sup>3</sup> (general population)
	Long term - local effects, general population	40.5 mg/m <sup>3</sup> (general population)
<b>102-71-6 2,2',2''-nitrilotriethanol</b>		
Oral	Long term - systemic effects, general population	13 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population	3.1 mg/kg bw/day (general population)
Inhalative	Long term - systemic effects, general population	1.25 mg/m <sup>3</sup> (general population)
	Long term - local effects, general population	1.25 mg/m <sup>3</sup> (general population)
<b>19125-99-6 2-butyl-6-(butylamino)-1H-benzo[de]isoquinoline-1,3(2H)-dione</b>		
Oral	Long term - systemic effects, general population	1.66 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population	1.66 mg/kg bw/day (general population)
Inhalative	Long term - systemic effects, general population	2.45 mg/m <sup>3</sup> (general population)

· PNECs		
<b>112-34-5 2-(2-butoxyethoxy)ethanol</b>		
Aquatic compartment - freshwater		1.1 mg/L (freshwater)
Aquatic compartment - marine water		0.11 mg/L (marine water)
Aquatic compartment - water intermittent releases		3.9 mg/L (intermittent release water)
Aquatic compartment - sediment freshwater		4.4 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment marine water		0.44 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil		0.32 mg/kg dw (soil)
Sewage treatment plant		200 mg/L (sewage treatment plant)
Oral secondary poisoning		56 mg/kg food (secondary poisoning (food))
<b>61791-19-3 Fatty acids, tall-oil, reaction products with ethanolamine, ethoxylated</b>		
Aquatic compartment - freshwater		0.009 mg/L (freshwater)
Aquatic compartment - marine water		0.001 mg/L (marine water)
Aquatic compartment - sediment freshwater		0.691 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment marine water		0.069 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil		0.556 mg/kg dw (soil)
Sewage treatment plant		76 mg/L (sewage treatment plant)
<b>102-71-6 2,2',2''-nitrilotriethanol</b>		
Aquatic compartment - freshwater		0.32 mg/L (freshwater)
Aquatic compartment - marine water		0.032 mg/L (marine water)

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

**Trade name: MR® 699 F Penetrant fluorescent**

(Contd. of page 5)

Aquatic compartment - water intermittent releases	5.12 mg/L (intermittent release water)
Aquatic compartment - sediment freshwater	1.7 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment marine water	0.17 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0.151 mg/kg dw (soil)
Sewage treatment plant	10 mg/L (sewage treatment plant)
<b>19125-99-6 2-butyl-6-(butylamino)-1H-benzo[de]isoquinoline-1,3(2H)-dione</b>	
Aquatic compartment - freshwater	0.00017 mg/L (freshwater)
Aquatic compartment - marine water	0.017 mg/L (marine water)
Aquatic compartment - sediment freshwater	< 0.0001 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment marine water	0.0685 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0.0317 mg/kg dw (soil)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

Filter A/P2

For good ventilation provide, this can be achieved by local or space exhaust. If the concentration lies over the job limit values, then, a certified respirator suitable for this purpose must be used.

· **Protection of hands:**



Protective gloves

Check the permeability prior to each renewed use of the glove.

For the protection against chemicals in areas with heightened risk of injury (mechanical hazard) no recommendation for a suitable glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Value for the permeation: Level  $\leq 6$

Supplier for suitable protection gloves:

ASD ArbeitsSicherheit Dortmund

Torstr. 101 - 37355 Niederorschel OT Rüdigershagen

Tel.: 02301 / 919543 - Fax: 02301 / 9453893

E-Mail: m.schnellhardt@t-online.de - <http://www.arbeitssicherheitdortmund.de>

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

Trade name: MR® 699 F Penetrant fluorescent

(Contd. of page 6)

## · Eye protection:



Tightly sealed goggles

## · Body protection: Protective work clothing

### SECTION 9: Physical and chemical properties

## · 9.1 Information on basic physical and chemical properties

## · General Information

## · Appearance:

Form:	Fluid
Colour:	Light yellow
Odour:	Characteristic
Odour threshold:	Not determined.

· pH-value: Not determined.

## · Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	224 - 234 °C

· Flash point: 105 °C  
Basis: active substance

· Flammability (solid, gas): Not applicable.

· Auto-ignition temperature: 225 °C

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

## · Explosion limits:

Lower:	0.9 Vol %
Upper:	5.9 Vol %

· Vapour pressure at 20 °C: 0.1 hPa

· Density at 20 °C: 0.94 g/cm<sup>3</sup>

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

## · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

## · Viscosity:

Dynamic:	Not determined.
Kinematic at 20 °C:	8.93 mm <sup>2</sup> /s

## · Solvent separation test:

Organic solvents:	3.0 %
VOC (EU)	< 0.1 %

Solids content: 0.4 %

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

Trade name: MR® 699 F Penetrant fluorescent

(Contd. of page 7)

- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

#### 112-34-5 2-(2-butoxyethoxy)ethanol

Dermal	LD50	4,000 mg/kg (rbt)
--------	------	-------------------

#### Alcohols, C10-12, ethoxylated propoxylated

Dermal	LD50	> 2,000 mg/kg (rat)
--------	------	---------------------

#### 102-71-6 2,2',2''-nitrilotriethanol

Oral	LD50	8,000 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **General remarks:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability**  
The product is readily biodegradable (according to OECD criteria).  
The biodegradability of the aqueous solution (1- 3 %, washwater) amounts to > 90 %.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish

(Contd. on page 9)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

**Trade name: MR® 699 F Penetrant fluorescent**

(Contd. of page 8)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Harmful to aquatic organisms  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Eliminate the pure, unchanged substance in accordance with local regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:**  
For this product no waste key number can be specified, because only the intended purpose permits an allocation. The waste key number is to be specified in arrangement with the regional waste disposal.  
The indications for Waste key reflect the pure unmodified product and are only a recommendation.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |                               |                |
|--|-------------------------------|----------------|
| · <b>14.1 UN-Number</b>  | · <b>ADR, ADN, IMDG, IATA</b> | Void           |
| · <b>14.2 UN proper shipping name</b>  | · <b>ADR, ADN, IMDG, IATA</b> | Void           |
| · <b>14.3 Transport hazard class(es)</b>   | · <b>ADR, ADN, IMDG, IATA</b> | · <b>Class</b> |
| · <b>ADR, ADN, IMDG, IATA</b>  | · <b>Class</b>                | Void           |
| · <b>14.4 Packing group</b>  | · <b>ADR, IMDG, IATA</b>      | Void           |
| · <b>14.5 Environmental hazards:</b>   | · <b>Marine pollutant:</b>    |                |
| · <b>Marine pollutant:</b>   | No                            |                |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable.               |                |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.               |                |
| · <b>UN "Model Regulation":</b>  | Void                          |                |

GB

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 23.11.2023

Version number 1

Revision: 23.11.2023

**Trade name: MR® 699 F Penetrant fluorescent**

(Contd. of page 9)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- **Relevant phrases**  
The wording of the listed risk phrases are those of the individual raw materials.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.
- **Recommended restriction of use**  
Existing national and local laws concerning chemicals are to be considered.
- **Department issuing SDS:**  
MR Chemie GmbH, Dep. safety data sheets, Tel.: +49/(0)2303/95151-38
- **Contact:**  
MR Chemie GmbH, Dep. safety data sheets, Tel.: +49/(0)2303/95151-38, QS@mr-chemie.de
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- **\* Data compared to the previous version altered.**

GB